US ERA ARCHIVE DOCUMENT

DATA EVALUATION RECORD

STUDY 1

SHAUGHNESSY NO. 128994

MON-15151

Sec. 161-1

FORMULATION-00-ACTIVE INGREDIENT

MRID NO. 40638627

Pantano, L.K. 1988. The hydrolysis of MON-7200/15100, 3.5-pyridine-dicarbothioic acid, 2-(difluoromethyl)-4-(2-methylpropyl)-6-(trifluoromethyl)-,S,Sdimethyl ester. Laboratory Project No. MSL-7690. R.D. No. 866. Unpublished study prepared and submitted by Monsanto Agricultural Company, St. Louis, MO.

DIRECT REVIEW TIME = 24

REVIEWED BY:

W. Hurtt.

TITLE: Staff Scientist

EDITED BY:

K. Patten

TITLE: Task Leader

APPROVED BY:

W. Spangler

TITLE: Project Manager

ORG:

Dynamac Corporation

Rockville, MD

TEL: 468-2500

APPROVED BY:

A. Reiter

TITLE:

Chemist

ORG:

EAB/HED/OPP

TEL:

557-7709

allow J. Reiter 8-30-88

SIGNATURE:

CONCLUSIONS:

<u>Degradation - Hydrolysis</u>

This study is acceptable and fulfills EPA Data Requirements for Registering Pesticides by providing information on the hydrolysis of ringlabeled $[^{13}\text{C}/^{14}\text{C}]\text{MON}-7200/15100$ (the active ingredient of MON-15151) in sterile aqueous buffered solutions at pH 5, 7, and 9.

SUMMARY OF DATA BY REVIEWER:

Ring-labeled $[^{13}C/^{14}C]MON$ 7200/15100 (radiochemical purity of the 1:1 isotopic mixture >99.0%), at 1 ppm, did not degrade in sterile deionized water or buffered pH 5 and 7 solutions at 25°C over a 30-day period. In a buffered pH 9 solution after 30 days, <2% of the test substance had degraded to 2-(difluoromethyl)-4-(2-methylpropyl)-5-[(methylthio)carbonyl]-6-(trifluoromethyl)-3-pyridinecarboxylic acid (normal acid; II).

The registrant-calculated half-life in the pH 9 buffer solution was 1053 days (2.9 years).

DISCUSSION:

- 1. HPIC procedures were modified during the course of the experiments to include an acetonitrile wash when it was determined that MON 7200/15100 was adhering to the walls of the HPIC syringe. The registrant stated that the correction for syringe adhesion had only a slight effect on the results of the experiments.
- 2. Apparent typographical errors exist with regard to sample (tube) number versus days posttreatment. Sample D25-48 (Table 9) was used for critical confirmation analyses, presumably at 25 days. In the original document, this sample was variously referenced as both 25 and 30 days in Figure 10, and as 30 days in Figures 11, 12, and 13 and in various portions of the text.
- 3. A hydrolysis study was conducted with MON 7200/15100 using sterile rice paddy water (pH 7.8); no degradation was observed during 30 days of incubation. The data were not evaluated in detail because they are not required by current EPA guidelines for registering pesticides.

MATERIALS AND METHODS

MATERIALS AND METHODS:

Ring-labeled [\$^{13}\$C/^{14}\$C]MON 7200/15100 [\$3,5-pyridinedicarbothioic acid, 2-(difluoromethyl)-4-(2-methylpropyl)-6-(trifluoromethyl)-,S,S-dimethyl ester; radiochemical purity of the 1:1 isotopic mixture >99.0%, specific activity 18.58 mCi/mmol, Monsanto Company] was added to sterile deionized water and to sterile buffered water adjusted to pH 5, 7, and 9 to make a final concentration of 1 ppm. The solutions were incubated in the dark at 25°C in culture tubes, and samples were taken at 0, 2, 4, 9, 15, 21, 25, and 30 days after treatment.

Total radioactivity at each sampling interval was determined by ISC. Quantification of the effluent from HPIC analyses was determined by ISC or radioactivity flow detection. The identification of degradate structures was based upon comparisons between retention times of the radioactive peaks of the test samples and the UV peaks of the coinjected non-radiolabeled standards. Confirmation of degradate structure was determined by HPIC/MS analysis of the 25-day samples.

STUDY AUTHOR(S)'S RESULTS AND/OR CONCLUSIONS

Dithiopyr		
		DATE ARE
111 1.81 1 CRESW E	276 C 1 C 1 C 1 C 1 C 1 C 1	Kesv I esw
	~~~~~	

	is not included in this copy. es <u>6</u> through <u>12</u> are not included in this copy.
	aterial not included contains the following type of mation:
**	Identity of product inert ingredients.
	Identity of product inert impurities.
<u></u>	Description of the product manufacturing process.
	Description of product quality control procedures.
	Identity of the source of product ingredients.
	Sales or other commercial/financial information.
	A draft product label.
	The product confidential statement of formula.
	Information about a pending registration action
<u>X</u>	FIFRA registration data.
<del> </del>	The document is a duplicate of page(s)
	The document is not responsive to the request.
by pro	nformation not included is generally considered confidential oduct registrants. If you have any questions, please contacted individual who prepared the response to your request.